



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORBIDITY AND MORTALITY.

MORBIDITY AND MORTALITY TABLE, CITIES OF THE UNITED STATES,
FOR WEEK ENDED AUG. 12, 1911.

Cities.	Popula- tion, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having over 500,000 in- habitants.														
Baltimore, Md.	558,485	198	11	6	13	1	40	20	52	5
Boston, Mass.	670,585	216	23	22	1	16	60	18	7
Chicago, Ill.	2,185,283	604	89	13	22	80	13	98	61	50	8
Cleveland, Ohio.	560,663	142	23	1	7	43	1	37	14	11	2
New York, N. Y.	4,766,883	1,406	199	18	170	13	64	1	448	159	169	13
Philadelphia, Pa.	1,549,008	460	51	4	8	26	1	81	53	64	7
St. Louis, Mo.	687,029	216	9	1	6	18	4	34	16	31	4
Cities having from 300,000 to 500,000 inhabitants.														
Buffalo, N. Y.	423,715	113	39	1	2	8	2	14	10	18	3
Cincinnati, Ohio.	364,463	113	6	2	3	33	1	3	28	18	5	1
Detroit, Mich.	465,766	121	9	9
Los Angeles, Cal.	319,198	85	1	1	1	9	1	12	19	5
Milwaukee, Wis.	373,857	82	6	2	9	8	1	9	6	13	2
New Orleans, La.	339,075	138	7	2	4	10	2	45	19	12	4
San Francisco, Cal.	416,912	105	3	7	2	21	10
Washington, D. C.	331,069	114	3	13	19	8	26	3
Cities having from 200,000 to 300,000 inhabitants.														
Denver, Colo.	213,381	42	15	5	2	7	23	1
Jersey City, N. J.	267,779	81	1	9	2
Kansas City, Mo.	248,381	83	1	1	2	2	5	1	1
Providence, R. I.	224,326	62	2	1	7	1	3	15
Cities having from 100,000 to 200,000 inhabitants.														
Bridgeport, Conn.	102,054	28	2	2	1	1
Cambridge, Mass.	104,839	31	5	2	1	5	4
Columbus, Ohio.	181,548	52	1	3	6	7	5	7	1
Dayton, Ohio.	116,577	1	1	2	6	2	1
Fall River, Mass.	119,295	55	1	1	2	3	3
Lowell, Mass.	106,294	45	1	1	1	1	4	4
Memphis, Tenn.	131,105	11	1	2	1	3	5	21	2
Nashville, Tenn.	110,364	25	2	1	18	1
Oakland, Cal.	150,174	36	1	2	2
Omaha, Nebr.	124,096	2
Richmond, Va.	127,628	1	4	4	9	9	8	2
Spokane, Wash.	104,402	34	1	3	1	7
Toledo, Ohio.	168,497	53	4	1	3	5	9	1
Worcester, Mass.	145,986	36	5	1	4	6	3	7
Cities having from 50,000 to 100,000 inhabitants.														
Altoona, Pa.	52,127	14	1	2	3	2
Bayonne, N. J.	55,545	14	2	2	1	1	2	1
Brockton, Mass.	56,878	13	1	3	1
Camden, N. J.	94,538	3	2	2
Covington, Ky.	53,270	19	1	2	3	2	1
Duluth, Minn.	78,466	10	2	1	2	2	6
Elizabeth, N. J.	73,409	22	1	1	1	1
Erie, Pa.	66,525	16	5	3	1
Evansville, Ind.	69,647	19	2	3	6
Harrisburg, Pa.	64,186	14	2	11	2	7
Hartford, Conn.	98,915	38	4	1	6
Hoboken, N. J.	70,324	2	15	1	4	1	1
Houston, Tex.	78,800	20	1
Jacksonville, Fla.	57,699	23	3	2	5	4	1
Johnstown, Pa.	55,482	14	2	1	2	5	1	1
Lawrence, Mass.	85,892	42	1	1	5
Lynn, Mass.	89,336	23	1	1	3	1	3
Manchester, N. H.	70,063	27	1	3	3	1

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ended Aug. 12, 1911—Continued.

Cities.	Popula- tion, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having from 50,000 to 100,000 inhabitants—Con.														
New Bedford, Mass.	96,652	36	1		2		3				3	2	8	1
Oklahoma City, Okla.	64,205	23			2		1				1	1		
Passaic, N. J.	54,773	23	3				1							
Peoria, Ill.	66,950	15	3						1			4	1	
Portland, Me.	58,571	23		1								3	4	1
Reading, Pa.	96,071	30	3				1					4	3	
San Antonio, Tex.	96,614	33	2						1			4	4	1
Schenectady, N. Y.	72,826	15					1				5		2	
Springfield, Ill.	51,678	20					1					1	2	2
Springfield, Mass.	88,926	28	2		5							1		
Terre Haute, Ind.	58,157	20											2	3
Trenton, N. J.	96,815	29	3		3	1					5	2	5	
Wilkes-Barre, Pa.	67,105	33	2		1							2	1	
Wilmington, Del.	87,411	38										3		1
Yonkers, N. Y.	79,803	18			2		4				6			
Cities having from 25,000 to 50,000 inhabitants.														
Atlantic City, N. J.	46,150	11					1						1	
Auburn, N. Y.	34,668	12									4		1	
Aurora, Ill.	29,807	6	2									1		
Berkeley, Cal.	40,434	9										2		
Binghamton, N. Y.	48,443	14			1									
Brookline, Mass.	27,792	2												
Butte, Mont.	39,165	16	1									3	1	
Chattanooga, Tenn.	44,604						1							
Chelsea, Mass.	32,452	12	1		2		1				1	1	1	
Chicopee, Mass.	25,401	10	1		1						1			
Danville, Ill.	27,871	12	1								1	1		
East Orange, N. J.	34,371	5	3								3	1	1	
Elmira, N. Y.	37,176	11	2	1	1								4	1
El Paso, Tex.	39,279	23					1					5	3	1
Everett, Mass.	33,484	4									1	1		
Haverhill, Mass.	44,115	15			2								1	
Hazleton, Pa.	25,452		1											
Kalamazoo, Mich.	39,437	14									2	2		
Knoxville, Tenn.	36,346	12					1					1	1	3
La Crosse, Wis.	30,417	5										1		
Lancaster, Pa.	47,227	17	4									1	2	
Lexington, Ky.	35,099	20										1		
Lima, Ohio.	30,508	5					1					3		
Lynchburg, Va.	29,494	21					1						4	
Malden, Mass.	44,404	6			2						3		2	
Montgomery, Ala.	38,136						3		1			2	1	
Nount Vernon, N. Y.	30,919												1	
Newcastle, Pa.	36,289		11				2							
Newton, Mass.	19,836	12									2	3		
Niagara Falls, N. Y.	30,445	7			2	2						3	5	
Norristown, Pa.	27,875	9	1		1						1	1	3	
Orange, N. J.	29,630	16	5											
Pittsfield, Mass.	32,121	10	1										1	
Portsmouth, Va.	33,190	8					1							1
Racine, Wis.	38,062	4										1		
Roanoke, Va.	34,874	16							1		3	1	16	1
Rockford, Ill.	45,401	12							2			1		
Sacramento, Cal.	44,096	7											3	
Salem, Mass.	43,697	14												
San Diego, Cal.	39,578	23					1				2	2		
Superior, Wis.	40,384	16	4									1		
Taunton, Mass.	34,250	14	1											
Waltham, Mass.	27,824	10	1		1								1	
West Hoboken, N. J.	35,403	13										2		
Wheeling, W. Va.	41,641	12	2				2				2	1	1	
Williamsport, Pa.	31,860	9			7								1	
Zanesville, Ohio.	28,026	11	3						1					

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ended Aug. 12, 1911—Continued.

Cities.	Popula- tion, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having less than 25,000 inhabitants.														
Ann Harbor, Mich.	14,817	6			1									
Beaver Falls, Pa.	12,191										1			
Braddock, Pa.	19,357	10												
Butler, Pa.	20,728	7									6		3	
Cambridge, Ohio.	11,327	1											1	
Camden, S. C.	1	1											3	
Carbondale, Pa.	17,040	3												
Clinton, Mass.	13,075	4	1	1										
Columbus, Ga.		9												
Columbus, Ind.		4										1	1	
Concord, N. H.	21,497	16												
Cumberland, Md.	21,839	8									3		5	1
Dunkirk, N. Y.		1					1							
Galesburg, Ill.	20,049	4	1											
Greensboro, N. C.	15,895	6	6						3			1	8	
Harrison, N. J.	14,498	2												
Homestead, Pa.	18,713	12	4	1										
Kearny, N. J.	18,869	5	1	1							1		1	
Kokomo, Ind.	17,012	6	1								1		2	
La Fayette, Ind.	12,081	6												
Marinette, Wis.	14,610	3												
Marlboro, Mass.	14,479	7										1	2	
Massillon, Ohio.	13,879	1												
Medford, Mass.	23,150	5			1									
Melrose, Mass.	15,715	2	1								1			
Moline, Ill.		5	1										6	
Montclair, N. J.	21,150	7					1				1	1		
Morristown, N. J.	12,907	8					1						2	
Nanticoke, Pa.	18,877	5	1											
Newburyport, Mass.	19,949	5												
North Adams, Mass.	22,012	9									2	1		
Northampton, Mass.	19,431	5									1			
Ottumwa, Iowa.	22,012	12										3	2	
Palmer, Mass.		6												
Peekskill, N. Y.		5									1	1		
Plainfield, N. J.	20,550	5									2		1	
Pottstown, Pa.		8										1	1	
Rutland, Vt.	13,546	2												
Steelton, Pa.	14,246	3	2				1				1			
Saratoga Springs, N. Y.		7										3		
South Bethlehem, Pa.	19,973	5	1		1						1			
Wilkinsburg, Pa.	18,294	4												
Woburn, Mass.	15,308	5	1								1			1

¹ Death from typhoid fever erroneously reported, Aug. 5, 1911, p. 1294.

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES (untabulated).

INDIANA.—Month of June, 1911. Total number of deaths from all causes 2,353, including diphtheria 18, measles 13, scarlet fever 15, smallpox 1, tuberculosis 339, typhoid fever 29. Cases reported: Diphtheria 149 in 28 counties, scarlet fever 90 in 50 counties, smallpox 90 in 16 counties, typhoid fever 138 in 42 counties.

MARYLAND.—Month of May, 1911. Population, 1,295,346. Total number of deaths from all causes 848, including diphtheria 4, measles 6, scarlet fever 2, tuberculosis 94, typhoid fever 17. Cases reported: Diphtheria 28, measles 322, scarlet fever 40, smallpox 9, typhoid